


N534BP, CC1312R Dongle



N534BP dongle Introduce

N534BP CC1312R transceiver dongle designed for 169M,433M, 868M, 915MHz and 1200Mhz band. Up to +14 dBm output power and down to -110 dBm sensitivity at 50 kbps.

N534BP is a low-cost and small size FSK RF transceiver dongle for transmitting and receiving digital data via radio frequency. All of the N534BP's electronics (don't including an antenna) reside on a single PCB.

The transceiver dongle based TI wireless MCU CC1312R1F3RGZ, CC1312R1F3RGZ integrated sub 1G transceiver RF chip. The dongle available frequency is from 169M,433M, 868M, 915MHz and 1200Mhz. The hardware is designed for maximum range, 500m + Range (Line of Sight, 50 kbps).

N534BP dongle integrated TI CC1312R1F3RGZ, TCXO, spring antenna, LED, key, and UART TO USB chip. N534BP dongle supports Multiple protocols, eg: Wi-Sun and WMbus. AT command supports.

N534BP is suitable for ISM band in China, EU and USA.

N534BP Dongle Parameter

Model	N534BP
dongle Interface	USB 2.0
Frequency	169M,433M, 868M, 915MHz and 1200Mhz
RF Data Rate	1.2-4000 kbps
Transmitting Power	+14 dBm
Receiving Sensitivity	-110 dBm at 50 kbps

TX Current	35 mA
RX Current	21 mA
Frequency Deviation	+/- 1 khz
Communication Distance	10 – 1500 m(Visual distance)
Antenna Interface	IPEX, spring antenna
Installation Mode	USB PLUG
Volume (mm)	37 mm x 20 mm x 7 mm
Operating Voltage	+ 5 V
Working Temperature and Humidity Environment	Temperature: -40 - 80 °C; Humidity 10-95 %RH
Storage Temperature and Humidity Environment	Temperature: -40 - 80 °C; Humidity 10-95 %RH
Weight (kg)	≈10g

Application Area

Ultra low-power wireless applications

Operating in the 315/433/868/915 MHz ISM/SRD bands

Wireless alarm and security systems

Industrial monitoring and control

Wireless sensor networks

AMR – Automatic Meter Reading

Home and building automation

Wireless MBUS

Arduino

Ordering Information

N534BP-CC1312R1F3RGZ-868M RF dongle CC1312R1F3RGZ 20mW – 860-960Mhz

N534BP-CC1312R1F3RGZ-1200M RF dongle CC1312R1F3RGZ 20mW – 1200-1250Mhz

More information please contact with us.